ALLER-CHLOR- chlorpheniramine maleate syrup Rugby Laboratories

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Aller-chlor®

Drug Facts

Active ingredient (in each 5mL teaspoonful)

Chlorpheniramine Maleate 2 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- runny nose
- itchy nose or throat
- sneezing
- itchy, watery eyes

Warnings

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use If you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives & tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4-6 hours
- do not take more than 6 doses in 24 hours

adults and children 12 years and over 2 teaspoons

children 6 to under 12 years 1 teaspoon children under 6 years do not use

inactive ingredients

Alcohol 5% w/w, cherry flavor, FD&C green #3, FD&C yellow #6, glycerin, menthol, mettiylparaben, propylene glycol, propylparaben, purified water, sucrose, vanillin, citric acid may be used to adjust PH

Questions or comments?

1-800-645-2158

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Store at room temperature 15°-30°C {59°-86°F}. Avoid freezing. If color fades, potency is not affected.

Distributed by: Rugby Laboratories 31778 Enterprise Drive Livonia, MI 48150

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Label

COMPARE TO THE ACTIVE INGREDIENTS IN CHLOR-TRIMETON®*

NDC 0536-1025-47

Aller-chlor®

(Chlorpheniramine Maleate Syrup, USP)

ANTIHISTAMINE

Contains Alcohol 5%

*Rugby Laboratories is not affiliated with the owner of the trademark Chlor-trimeton

4 FL OZ (120 Ml)

Distributed by: Rugby Laboratories 31778 Enterprise Drive Livonia, MI 48150 www.rugbylaboratories.com

Drug Facts

Active ingredient (in each 5mL teaspoonful)

Purpose

Chlorpheniramine Maleate 2 mg......Antihistamin

Uses temporarily relieves these symptoms of hay fever or other upper respiratory allergies: • runny nose • itchy nose or throat • sneezing • itchy, watery eyes

Warnings

Ask a doctor before use if you have • glaucoma • a breathing problem such as emphysema or chronic bronchitis • trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product • you may get drowsy
• avoid alcoholic drinks • alcohol, sedatives &
tranquilizers may increase drowsiness • be careful
when driving a motor vehicle or operating machinery
• excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.



NDC 0536-1025-47

Aller-chlor

(Chlorpheniramine Maleate Syrup, USP)

ANTIHISTAMINE

Contains Alcohol 5%

*Rugby Laboratories is not affiliated with the owner of the trademark Chlor-trimeton®,

4 fl oz (120 mL)

Distributed by: Rugby Laboratories 31778 Enterprise Drive Livonia, MI 48150 www.rugbylaboratories.com

Drug Facts (continued)

Directions • take every 4-6 hours

 do not take more than 6 doses in 24 hours adults and children 12 years and over 2 teas

12 years and over 2 teaspoons
children 6 to under 12 years 1 teaspoon
children under 6 years do not use

Inactive ingredients Alcohol 5% w/w, cherry flavor, FD&C green #3, FD&C yellow #6, glycerin, menthol, methylparaben, propylene glycol, propylparaben, purified water, sucrose, vanillin-Citric acid may be used to adjust pH.

Questions or comments?
1-800-645-2158

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING Store at room temperature 15°-30°C (59°-86°F). Avoid freezing. If color fades, potency is not affected.



Unvarnish area No print in this

No.

Re-order

R-133

11/13

Rev.

AK 10304L

ALLER-CHLOR

chlorpheniramine maleate syrup

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0536-1025

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

Chlorpheniramine Maleate (UNII: V1Q0O9OJ9Z) (Chlorpheniramine - UNII:3U6IO1965U) | Chlorpheniramine Maleate | 2 mg in 5 mL

Inactive Ingredients Ingredient Name Strength Methylparaben (UNII: A2I8C7HI9T) propylene glycol (UNII: 6DC9Q167V3) propylparaben (UNII: Z8IX2SC10H) water (UNII: 059QF0K00R) alcohol (UNII: 3K9958V90M) sucrose (UNII: C151H8M554)

Product Characteristics							
Color	BLUE	Score					
Shape		Size					
Flavor	MENTHOL	Imprint Code					
Contains							

Packaging								
#	Item Code	Package Description	Market	ing Start Date M	larketing End Date			
1	NDC:0536-1025-47	118 mL in 1 BOTTLE, PLASTIC						
Marketing Information								
	Marketing Category	Application Number or Monograp	h Citation	Marketing Start Date	Marketing End Date			
O'	TC MONOGRAPH FINAL	part341		03/20/2014				

Labeler - Rugby Laboratories (079246066)

Revised: 3/2014 Rugby Laboratories