



User information leaflet

Enterogermina is an oral suspension containing Polyantibiotic resistant spores of *Bacillus clausii*.

Composition

1 mini bottle contains:

Main active element: 2 billion spores of polyantibiotic resistant *Bacillus clausii**

Excipient: Purified water

(* Polyantibiotic resistant means resistant to a certain number of antibiotics. It is an extremely important characteristic of Enterogermina that allows it to be administered during antibiotic treatment with penicillin, cephalosporins, tetracycline, macrolides, aminoglycosides, novabiocin, chloramphenicol, tiamphenicol, Lincomycin, isoniazid, cycloserin, rifampicin, Nalidixic acid and pipernidic acid)

Presentation

Enterogermina is presented in the form of

an oral suspension in water and is available as 5 ml mini bottles. One pack contains 10 ready-to-drink mini bottles.

What is Enterogermina?

Enterogermina is a probiotic which is useful for the management of imbalance of intestinal bacterial flora due to diverse causes.

Why is it used?

Enterogermina is used for managing the alterations of the intestinal bacterial flora. Enterogermina restores the equilibrium of the intestinal flora changed during diarrhoea or in the course of therapies with antibiotics or chemotherapy, contributing to correct the consequent dysvitaminosis (that is the imbalance of production and assimilation of the vitamins).

How to use Enterogermina? Dosage:

Adults: from 2 to 3 mini bottles a day Children: from 1 to 2 mini bottles a day Infants: from 1 to 2 mini bottles a day Caution: Do not exceed the instructed doses without the advice of the professional.

Administration

Take Enterogermina at regular intervals during the day.

Consult the professional if the condition recurs or if you have noticed any recent change in the nature of problems,
Caution: Use only for brief periods of
Management.

Instructions for use

It is necessary to shake the mini bottle before use. To open the mini bottle rotate the upper part and detach it. Take the content as such or dilute it in water or other drinks (for example; Milk, Tea, Orange juice). Once open, consume it within a short period to avoid contamination of the suspension.

When must it not be used?

Hypersensitivity towards the components or other closely related substances.





Directions for use



Break away mini bottle



Shake well before use



Twist cap to open



Squeeze to Drin

Can it be taken during pregnancy and lactation?

Enterogermina can be used during pregnancy and breast feeding.

Precautions for use

During antibiotic therapy, the product should be administered in the interval between one dose of antibiotic and the next.

It's important to know that-

The possible presence of corpuscles visible in the vials of ENTEROGERMINA is due to aggregates of *Bacillus clausii* spores and does not, therefore, indicate that the product has undergone any changes.

What to do if you have taken an excessive dose of Enterogermina?

Excessive doses of Enterogermina do not produce side effects. However, it is better to follow the recommended doses.

What to do if you have forgotten to take one or more doses?

While there are no particular problems associated with missing a dose, it is advisable to complete the daily dose for best results. Remember that the correct and careful administration increases it's effectiveness.

Side effects

No side effects have been reported with the use of Enterogermina. However it is important to communicate any undesirable effects.

Expiry

The un-opened mini bottles of Enterogermina are stable for a period of 24 months.

Caution: Do not use Enterogermina after the expiry date on the label.

Storage

Store at temperature not higher than 30°C.

KEEP OUT OF THE REACH AND SIGHT OF CHILDREN.

Manufacturer: Sanofi-aventis S.p.A Viale Europa, 11 Origgio (VA)-ITALY For further details: Sanofi Bangladesh Ltd 6/2/A, Segun Bagicha, Dhaka-1000, Bangladesh Tel: 88-02-9562893



4823770A

