

LIDOCAINE HYDROCHLORIDE- lidocaine hydrochloride spray

Cintas First Aid & Safety

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Burn Spray

Pain Relief

Drug Facts

Active Ingredient

Lidocaine HCl 2.0%

Purpose

Topical pain relief

Uses

for the temporary pain of relief associated with minor burns

Warnings

For external use only

Do not use in large quantities, particularly over raw surfaces or blistered areas

- near eyes, if this happens rinse thoroughly with water

Stop use and ask doctor if

- condition worsens
- symptoms persist for more than 7 days
- condition clears up and occurs again within a few days

Keep out of reach of children. If swallowed get medical help or contact Poison Control Center right away.

Directions

- adults and children 2 years of age and older: to affected area not more than 3-4 times daily
- children under 2 years: consult a doctor

Other information

- store at room temperature

Inactive ingredients

aloe vera, germaben II, propylene glycol, purified water

Questions or Comments?

1-877-973-2811

PRINCIPAL DISPLAY PANEL – 2 oz. bottle

BURN
SPRAY

LIDOCAINE HCl 2%

Convenient pump
spray allows no-touch
application. Use as a
first aid treatment for
minor burns, scalds &
sunburn. Water-soluble.

2 fl. oz. (59.1 mL)

Xpect
First Aid

Drug Facts			<p>BURN SPRAY</p> <p>LIDOCAINE HCl 2%</p> <p>Convenient pump spray allows no-touch application. Use as a first aid treatment for minor burns, scalds & sunburn. Water-soluble.</p> <p>2 fl. oz. (59.1 mL)</p> <p>Xpect™ First aid</p>
Active ingredient	Purpose		
Lidocaine HCl 2%	Topical pain relief		
Uses for the temporary relief of pain associated with minor burns			
Warnings For external use only			
Do not use in large quantities, particularly over raw surfaces or blistered areas ■ near eyes, if this happens rinse thoroughly with water			
Stop use and ask a doctor if ■ condition worsens ■ symptoms persist for more than 7 days ■ condition clears up and occurs again within a few days			
Keep out of reach of children. If swallowed get medical help or contact Poison Control Center right away			
Directions ■ adults and children 2 years of age and older: to affected area not more than 3-4 times daily ■ children under 2 years: consult a doctor			
Other Information ■ store at room temperature			
Inactive ingredients aloe vera, germaben II, propylene glycol, purified water			
Questions or comments? 1-877-973-2811			
Manufactured for: Cintas First Aid & Safety Mason, OH 45040 Rev. 04/13 #62029			

LIDOCAINE HYDROCHLORIDE

lidocaine hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68421-5100
---------------------	----------------	---------------------------	----------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Lidocaine Hydrochloride (UNII: V13007Z41A) (Lidocaine - UNII:98PI200987)	Lidocaine Hydrochloride Anhydrous	20 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
aloe vera leaf (UNII: ZY81Z83H0X)	
propylene glycol (UNII: 6DC9Q167V3)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
water (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68421-5100-0	0.0591 L in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/18/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	04/18/2013	

Labeler - Cintas First Aid & Safety (056481716)

Registrant - Safetec of America, Inc. (874965262)

Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America, Inc.		874965262	MANUFACTURE(68421-5100)

Revised: 4/2013

Cintas First Aid & Safety