

OTC medicine monograph: Bromhexine hydrochloride

Version 1.0, September 2015



About the Therapeutic Goods Administration (TGA)

- The Therapeutic Goods Administration (TGA) is part of the Australian Government Department of Health, and is responsible for regulating medicines and medical devices.
- The TGA administers the *Therapeutic Goods Act 1989* (the Act), applying a risk management approach designed to ensure therapeutic goods supplied in Australia meet acceptable standards of quality, safety and efficacy (performance), when necessary.
- The work of the TGA is based on applying scientific and clinical expertise to decision-making, to ensure that the benefits to consumers outweigh any risks associated with the use of medicines and medical devices.
- The TGA relies on the public, healthcare professionals and industry to report problems with medicines or medical devices. TGA investigates reports received by it to determine any necessary regulatory action.
- To report a problem with a medicine or medical device, please see the information on the TGA website https://www.tga.gov.au>.

Copyright

© Commonwealth of Australia 2015

This work is copyright. You may reproduce the whole or part of this work in unaltered form for your own personal use or, if you are part of an organisation, for internal use within your organisation, but only if you or your organisation do not use the reproduction for any commercial purpose and retain this copyright notice and all disclaimer notices as part of that reproduction. Apart from rights to use as permitted by the *Copyright Act 1968* or allowed by this copyright notice, all other rights are reserved and you are not allowed to reproduce the whole or any part of this work in any way (electronic or otherwise) without first being given specific written permission from the Commonwealth to do so. Requests and inquiries concerning reproduction and rights are to be sent to the TGA Copyright Officer, Therapeutic Goods Administration, PO Box 100, Woden ACT 2606 or emailed to <table borders | this work in unaltered form for your own personal use or, if

Version history

Version	Description of change	Author	Effective date
V1.0	Original publication	OTC Medicines Evaluation /Complementary and OTC Medicines Branch	15/09/2015

Contents

Introduction		
Active substance Dosage forms and strengths		
Therapeutic indications for inclusion in the Australian Register o Therapeutic Goods (ARTG)		
Label indications	5	
Directions for use	6	
Advisory statement	6	
Labelling	7	
Quality requirements	7	
Finished product specifications	7	
Container/measuring device	8	

Introduction

This OTC Medicine Monograph outlines the requirements for Australian market authorisation of preparations containing bromhexine hydrochloride as a single active ingredient when applied for as an OTC new medicine N2 application. Proposed medicines must comply with all aspects of the monograph relevant to their strength and dosage form to qualify for evaluation as an N2 application.

This monograph should be read in conjunction with the document <u>Requirements for OTC new medicine N2 applications</u>.

Active substance

This monograph only applies to preparations that contain bromhexine hydrochloride (CAS no. 611-75-6) as the only active ingredient and excludes preparations containing any other salts and derivatives of bromhexine.

Dosage forms and strengths

Acceptable dosage forms and strengths are shown in the table below.

Active substance	Dosage strengths	Dosage forms
Bromhexine hydrochloride	0.8 mg/mL, and 1.6 mg/mL	Oral liquid
	8 mg	Tablets (conventional immediate release tablets and soluble tablets only)

Indications

Therapeutic indications for inclusion in the Australian Register of Therapeutic Goods (ARTG)

Mucolytic. Breaks down mucus and helps clear chest congestion.

Label indications

Required label indication is 'Helps clear chest congestion'.

Further description of the relief of chest congestion may be included by selecting one or more of the following:

- Thins/loosens/breaks down mucus to help clear the chest
- Mucolytic

- Helps clear stubborn chest congestion
- · Chesty cough

Directions for use

Directions must be as shown in the table below, as relevant.

Dosage strength	Age*	Single dose	Dose interval	Maximum daily dose	
	Adults and children 12 years and over	10-20 mL (8-16 mg)	Every 8 hours as necessary	3 doses	
0.8 mg/mL oral liquid	Children 6-11 years (only on the advice of a doctor, pharmacist or nurse practitioner)*	10 mL (8 mg)	Every 8 hours as necessary	3 doses	
	Do not use in children under 6 years of age.				
1.6 mg/mL	Adults and children 12 years and over	5-10 mL (8-16 mg)	Every 8 hours as necessary	3 doses	
oral liquid	Children 6-11 years (only on the advice of a doctor, pharmacist or nurse practitioner)*	5 mL (8 mg)	Every 8 hours as necessary	3 doses	
	Do not use in children under 6 years of age.				
8 mg tablet	Adults and children 12 years and over	1 to 2 tablets (8-16 mg)	Every 8 hours as necessary	3 doses	
	Children 6-11 years (only on the advice of a doctor, pharmacist or nurse practitioner)*	1 tablet (8 mg)	Every 8 hours as necessary	3 doses	
Do not use in children under 6 years of age.					

^{*} If the medicine is not to be indicated for children below 'x' years of age (where 'x' is any age between 6 and 12 years of age), then the label must contain the statement "Do not give to children under 'x' years of age" as required by the Required Advisory Statements for Medicine Labels).

Advisory statement

The following advisory statement is also required:

If symptoms persist, consult your doctor or pharmacist.

Labelling

Labelling must comply with all relevant Australian requirements, as detailed in the document Requirements for OTC new medicine N2 applications, including all required warning statements.

Quality requirements

In addition to the quality requirements outlined in the document <u>Requirements for OTC new medicine N2 applications</u>, the following specific requirements apply to bromhexine hydrochloride monograph medicine.

Finished product specifications

In addition to other requirements specified in the document <u>Requirements for OTC new</u> <u>medicine N2 applications</u>, the finished product specifications must comply, at a minimum, with the relevant set of requirements below.

For **tablets**, the following tests and limits:

- tablet appearance
- identity of bromhexine hydrochloride
- for soluble tablets only: disintegration (disintegrate within 3 minutes, using water at 15-25°C as the liquid medium)
- uniformity of dosage units (BP)
- dissolution (a suitable test and limit for dissolution that demonstrates the appropriate release of the active ingredient)
- bromhexine hydrochloride content of 92.5 107.5%
- individual unspecified impurity (not more than 1.0%) and total impurities (not more than 3.0%)
- microbiological quality in compliance with <u>Therapeutic Goods Order No. 77 Microbiological Standards for Medicines.</u>

For **oral liquids**, the following tests and limits:

- organoleptic properties (such as appearance, smell, taste etc)
- pH
- identity of bromhexine hydrochloride
- bromhexine hydrochloride content of 90.0 110.0%
- individual unspecified impurity (not more than 1.0%) and total impurities (not more than 3.0%)
- content of any preservatives included in the formulation
- microbiological quality in compliance with <u>Therapeutic Goods Order No. 77 Microbiological Standards for Medicines.</u>

Container/measuring device

Bromhexine hydrochloride medicines must be sold in containers that comply with <u>Therapeutic</u> <u>Goods Order No 80 - Child Resistant Packaging Requirements for Medicines.</u>

If a measuring device is to be supplied with the medicine, calibrations must be exclusively in metric units and must allow all the doses shown on the labels to be measured accurately. Details of the calibrations on the measuring device must be provided with the submission (a sample may also be requested). Further considerations and requirements regarding measuring devices are detailed in ARGOM Appendix 2: Guidelines on quality aspects of OTC applications, 8. Finished product container.

Therapeutic Goods Administration

PO Box 100 Woden ACT 2606 Australia Email: info@tga.gov.au Phone: 1800 020 653 Fax: 02 6232 8605 https://www.tga.gov.au