

**Mederma®
CREAM**

Mederma® Cream should be evenly applied and gently rubbed into the scar 3 times daily for 8 weeks on new scars, and 3 times daily for 3–6 months on existing scars. Also apply Mederma® Cream to the scar before sun exposure.

Children under 6 months of age: ask a doctor.

Active Ingredients

AVOBENZONE 3%, OCTOCRYLENE 10%, OXYBENZONE 6%

Inactive Ingredients

WATER, ALLIUM CEPA (ONION) BULB EXTRACT, C12-15 ALKYL BENZOATE, DICAPRYLYL CARBONATE, HYDROGENATED LECITHIN, CAPRYLIC/CAPRIC TRIGLYCERIDE, PANTHENOL, PENTYLENE GLYCOL, PHENOXYETHANOL, BUTYROSPERMUM PARKII (SHEA BUTTER), GLYCERIN, AMMONIUM ACRYLOYL-DIMETHYLTAURATE/VP COPOLYMER, FRAGRANCE, SQUALANE, METHYLPARABEN, XANTHAN GUM, DISODIUM EDTA, CERAMIDE 3, SODIUM HYALURONATE, BUTYLPARABEN, ETHYLPARABEN, PROPYLPARABEN, ISOBUTYLPARABEN.

Warnings

For external use only.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash or irritation develops and lasts.

Do not use on open wounds.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Store at room temperature.

For more information call 1-888-925-8989 or visit www.mederma.com

Manufactured for Merz Pharmaceuticals, Greensboro, NC 27410

Made in Germany © 2007 Merz Pharmaceuticals

PRINCIPAL DISPLAY PANEL - 20 g Tube Carton

SKIN CARE FOR SCARS™

MEDERMA®


+SPF 30

SCAR

CREAM

NET WT. 0.70 OZ. (20g)

MERZ



MEDERMA

avobenzone, octocrylene, and oxybenzone cream

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:0259-3192

Route of Administration

TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	60 mg in 1 g

Inactive Ingredients		
Ingredient Name		Strength
ONION (UNII: 492225Q21H)		
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)		
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)		
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)		
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)		
PANTHENOL (UNII: WV9CM0O67Z)		
PENTYLENE GLYCOL (UNII: 50C1307PZG)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
SHEA BUTTER (UNII: K49155WL9Y)		
GLYCERIN (UNII: PDC6A3C0OX)		
AMMONIUM ACRYLOYLDIMETHYLAURATE/VP COPOLYMER (UNII: W59H9296ZG)		
SQUALANE (UNII: GW89575KF9)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
XANTHAN GUM (UNII: TTV12P4NEE)		
EDETATE DISODIUM (UNII: 7FLD91C86K)		
CERAMIDE NP (UNII: 4370DF050B)		
HYALURONATE SODIUM (UNII: YSE9PPT4TH)		
BUTYLPARABEN (UNII: 3QP11U3FV8)		
ETHYLPARABEN (UNII: 14255EXE39)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
ISOBUTYLPARABEN (UNII: 0QQJ25X58G)		
C12-15 ALCOHOLS (UNII: 2C8M6XLB5C)		
ALCOHOL (UNII: 3K9958V90M)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0259-3192-05	0.5 g in 1 PACKET; Type 0: Not a Combination Product	12/01/2007	08/31/2023
2	NDC:0259-3192-20	1 in 1 CARTON	12/01/2007	08/31/2023
2		20 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:0259-3192-50	1 in 1 CARTON	12/01/2007	08/31/2023
3		50 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2007	08/31/2023

Labeler - Merz Pharmaceuticals, LLC (126209282)

Revised: 2/2022

Merz Pharmaceuticals, LLC