Dextromethorphan Polistirex Extended-release Suspension 12 Hour Cough Relief Orange

Drug Facts

OTC - ACTIVE INGREDIENT

Active ingredient (in each 5 mL)

Dextromethorphan polistirex equivalent to 30 mg dextromethorphan hydrobromide, USP

OTC - PURPOSE

Purpose

Cough suppressant

INDICATIONS AND USAGE

Uses

Temporarily relieves

- · cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the impulse to cough to help you get to sleep

WARNINGS

Warnings

OTC - DO NOT USE

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

OTC - ASK DOCTOR

Ask a doctor before use if you have

- · chronic cough that lasts as occurs with smoking, asthma or emphysema
- · cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if cough lasts more than 7 days, cough comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

OTC - PREGNANCY OR BREAST FEEDING

If pregnant or breast-feeding, ask a health professional before use.

OTC - KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DOSAGE AND ADMINISTRATION

Directions

- shake bottle well before use
- measure only with dosing cup provided. Do not use dosing cup with other products.
- · dose as follows or as directed by a doctor

adults and children 12 years of age and over	10 mL every 12 hours, not to exceed 20 mL in 24 hours
children 6 to under 12 years of age	5 mL every 12 hours, not to exceed 10 mL in 24 hours
children 4 to under 6 years of age	2.5 mL every 12 hours, not to exceed 5 mL in 24 hours
Children under 4 years of age	do not use

Other information

- each 5 mL contains: sodium 7 mg
- store at 20° to 25°C (68° to 77°F)
- dosing cup provided
- mL = milliliter

INACTIVE INGREDIENT

Inactive ingredients

citric acid, corn oil, edetate disodium, ethylcellulose, FD&C Yellow No. 6, flavor, methylparaben, polyethylene glycol 3350, polysorbate 80, propylene glycol, propylparaben, purified water, sodium polystyrene sulfonate, sucrose, tragacanth, xanthan gum

Hydrochloric acid or sodium hydroxide solution, if required, to adjust the pH.

OTC - QUESTIONS

Questions?


Call 1-877-835-5472, Mon through Fri 9AM to 5PM EST.

Distributed by:

Amneal Pharmaceuticals Bridgewater, NJ 08807

Rev. 06-2016-00

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



2 of 3 28/Jun/2024, 9:45 AM

DEXTROMETHORPHAN	POLISTIREX	EXTENDED-RELEASE						
dextromethorphan polistirex suspens	sion							
Product Information								
Product Type		HUMAN OTC DRUG	Item Code	(Source)	NDC:65162-700			
Route of Administration		ORAL		()			02-700	
Route of Administration		ORAL						
Active Ingredient/Active Moiety	v							
Active ingredicity Active Molecy	y	Ingredient Name			Basis of Stren	ath	Strength	
DEVTROMETHORBUAN HVDDORBON	MIDE (LINII) ODODTION	YH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)			DEXTROMETHORPHAN HYDROBROMIDE 30 mg in 5 mL			
DEATROMETHORITIAN ITT DROBRON	MIDE (CIVII. 9D2K119K	TH) (DEATRONETHORTHAN - UNII./333A3RO13)			DEATROMETHOR HAN HIDROBRO	OMIDE	30 mg m 3 mL	
Inactive Ingredients								
		Ingredient Name					Strength	
CITRIC ACID MONOHYDRATE (UNII: 2	2968PHW8QP)	•						
CORN OIL (UNII: 8470G57WFM)								
EDETATE DISODIUM (UNII: 7FLD91C86	5K)							
ETHYLCELLULOSES (UNII: 7Z8S9VYZ	4B)							
FD&C YELLOW NO. 6 (UNII: H77VEI93A	A8)							
METHYLPARABEN (UNII: A2I8C7HI9T)								
POLYETHYLENE GLYCOL 3350 (UNII:	G2M7P15E5P)							
POLYSORBATE 80 (UNII: 6OZP39ZG8H)								
PROPYLENE GLYCOL (UNII: 6DC9Q167	7V3)							
PROPYLPARABEN (UNII: Z8IX2SC1OH))							
WATER (UNII: 059QF0KO0R)								
SUCROSE (UNII: C151H8M554)								
TRAGACANTH (UNII: 2944357O2O)								
XANTHAN GUM (UNII: TTV12P4NEE)								
HYDROCHLORIC ACID (UNII: QTT1758								
SODIUM HYDROXIDE (UNII: 55X04QC3								
SODIUM POLYSTYRENE SULFONATE	(UNII: 1699G8679Z)							
Product Characteristics								
Color			Score					
		orange	Size					
Shape Flavor		ORANGE	Imprint Code					
Contains		ORANGE	Imprint Code					
Contains								
Packaging								
# Item Code		Package Description			Marketing Start Date	Marketin	g End Date	
	1 in 1 CARTON	g		08/01/2017				
		rpe 0: Not a Combination Product						
	1 in 1 CARTON			08/01/2017				
		48 mL in 1 BOTTLE; Type 0: Not a Combination Product						
Marketing Information								
Marketing Category		Application Number or Monograph Citation			Marketing Start Date	Markatin	r Fnd Date	
ANDA	ANDA203133				Marketing Start Date Marketing End Date 08/01/2017			
	78.05.05.155							

Labeler - Amneal Pharmaceuticals LLC (123797875)

Establishment

Establishincht				
Name	Address	ID/FEI	Business Operations	
Amneal Pharmacouticals LLC		063000878	analysis(65162,700) Jahal(65162,700) manufactura(65162,700) nack(65162,700)	

Revised: 12/2023 Anneal Pharmaceuticals LLC

3 of 3 28/Jun/2024, 9:45 AM